

BROSELEY

Electric Stoves

The stove in its most convenient form; drawing on innovative design and the authenticity of the visual effect, the flames and smoulder emulate that of a real woodburning stove to the finest detail.

Our electric stoves will provide instant heat into the room, thermostatically remote controlled with a 7 day programme for lasting comfort, or manual options. There's no need for a flue – installation is as simple as plugging in and switching on to summon up the heat or simply enjoy the flickering, realistic flame effect.

Tunstall	46
Colman.....	47
Qube.....	47
Winchester.....	47
Espire.....	48
Elstow.....	48
York.....	48
Southgate.....	49
Canterbury.....	49
Lincoln.....	49
Hereford Inset	50
Hereford 5	50
Hereford 7	50
Serrano.....	50
Stove Switch / Flue Compatibility.....	51

Stoves that can be paired with our Timber Inglenook surrounds

Remote control included

Manual Control

Heat Output

Decorative flue available

Eco Friendly Fires



Tunstall

Freestanding electric stove with optional log store and thermostatic controlled heat output. (Decorative flue pipe not included)

W410mm x H645mm x D410mm
Height with optional decorative log store: 850mm

Matt Black



Matt Black

Colman

Freestanding electric stove with realistic log bed, manual controls and 1.8kW heat output. (Decorative flue pipe available as an extra)

W445mm x H528mm x D272mm



Cream



French Grey



Matt Black

Qube

A modern free standing electric stove with realistic log bed, manual control and up to 2kW heat output.

W435mm x H560mm x D240mm



Matt Black



Matt Black

Winchester

Freestanding cast iron electric stove complete with realistic coal bed or loose logs, up to 2kW of instant heat & remote controlled.

W640mm x H620mm x D365mm



Matt Black



Matt Black



Ash White

Espire

Freestanding light weight electric stove with realistic coal bed. 2kW heat output and concealed controls behind a hinged door.

W486mm x H586mm x D290mm



Matt Black

Ash White




Matt Black

Elstow

Electric stove with realistic glowing log bed & slimline body, perfect for smaller hearths.

W570mm x H618mm x D205mm



Matt Black




Matt Black

Plain Door option

York

Freestanding cast iron electric stove with realistic coal bed & arched window. Optional plain door available.

W465mm x H580mm x D310mm



Matt Black



Grey




Matt Black

Southgate

Freestanding electric stove with realistic log bed in Grey or Matt Black finish. A mesmerising flame effect with 5 brightness settings and 7 different fuel bed colours.

W550mm x H585mm x D297mm



Matt Black

Plain Door option

Canterbury

Freestanding cast iron electric stove with included realistic coal or log bed & arched window. Optional plain door available.

W605mm x H660mm x D325mm



Matt Black



Matt Black

Lincoln

Freestanding cast iron electric stove with included realistic coal or log bed and double door design to create a traditional aesthetic.

W590mm x H660mm x D275mm



Matt Black



Matt Black

Hereford Inset

Inset electric stove with realistic coal bed, cast iron door and a 75mm rebate to suit most surrounds.

W490mm x H587mm x D224mm



Matt Black



Matt Black

Serrano

Freestanding cast iron free standing electric stove with realistic coal bed with Chrome handle & lever.

W430mm x H545mm x D265mm



Matt Black



Matt Black

Hereford 5

Freestanding electric stove with realistic coal bed and cast iron door. 3 flame options and 5 brightness settings.

W453mm x H608mm x D343mm



Matt Black



Matt Black

Hereford 7

Freestanding electric stove with realistic coal bed and cast iron door. 3 flame options and 5 brightness settings.

W565mm x H608mm x D343mm



Matt Black

Stove Switch & Decorative flue / Inglenook compatibility

Electric Stoves	Decorative Flue Options	Woodbridge Marble Inglenook	Millgate Marble Inglenook	Allensford Marble Inglenook	Kingsbridge Timber Inglenook	Cheshire Timber Inglenook	Bainbridge (FWF) Timber Inglenook	Corbridge Timber Inglenook	Barrowden Timber Inglenook	Knightley Timber Inglenook	Sennen Timber Inglenook
Canterbury	Stove Only	✓	✓	✓	✓*	✓*	✓*	✓	✓*	✓*	✓*
	Plastic Flue	✓						✓		✓*	✓*
	Metal Flue										
Colman	Stove Only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Plastic Flue	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Metal Flue	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Elstow	Stove Only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Plastic Flue										
	Metal Flue										
Espire	Stove Only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Plastic Flue	✓	✓	✓	✓	✓	✓	✓		✓	✓
	Metal Flue	✓		✓				✓			
Hereford 5	Stove Only	✓*	✓*	✓*				✓			
	Plastic Flue	✓*		✓*				✓			
	Metal Flue							✓			
Hereford 7	Stove Only	✓*	✓*	✓*				✓			
	Plastic Flue	✓*		✓*				✓			
	Metal Flue							✓			
Lincoln	Stove Only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Plastic Flue							✓		✓	✓
	Metal Flue										
Serrano	Stove Only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Plastic Flue	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Metal Flue	✓	✓	✓	✓*	✓	✓*	✓	✓*	✓*	✓*
Qube	Stove Only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Plastic Flue	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Metal Flue	✓	✓	✓	✓	✓	✓	✓		✓	✓
Southgate	Stove Only	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Plastic Flue	✓	✓	✓	✓	✓	✓	✓		✓	✓
	Metal Flue	✓		✓				✓		✓	✓
Winchester	Stove Only	✓	✓	✓	✓*	✓*	✓*	✓	✓*	✓*	✓*
	Plastic Flue	✓		✓				✓		✓*	✓*
	Metal Flue										
York	Stove Only	✓	✓	✓	✓	✓*	✓	✓	✓	✓	✓
	Plastic Flue	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Metal Flue	✓		✓		✓*		✓		✓	✓

*Handle and / or skirt will protrude over the front of the hearth slightly.



Decorative flue pipe (Plastic)

Decorative plastic flue pipe to complete the stove appearance. Suitable for electric stoves only. (See above for compatibility)
Available in Matt Black, Cream & French Grey
W122mm x H195mm x D195mm



Decorative flue pipe (Metal)

Decorative Metal flue pipe to complete the stove appearance. Suitable for electric stoves only. (See above for compatibility)
Available in Matt Black
W170mm x H220mm x D252mm

BROSELEY

Gas Stoves

The flame picture which arises from the hand crafted ceramic fibre logs or coals in our Gas stoves is remarkably reminiscent of the real thing, whilst the heat is comparable in quality to the warmth radiating from our equivalent multifuel stoves.

The ease of control whether manual or remote, allows you to optimise the heat output, from blazing to smouldering. The sturdy construction of cast or steel and the optional fuel bed and door inserts on certain stoves, ensure that the finished look will suit your home, be it traditional or contemporary in style.

Hereford 5	52
Hereford 7	53
Winchester.....	53
Canterbury.....	53
Lincoln.....	53

Key


Remote control included


Manual Control


Smoke Exempt Stove


EEC Rating



Hereford 5

Freestanding gas stove with realistic log bed, mesmerising real dancing flames and remote controlled. Features a cast iron door for retained heat.

W453mm x H606mm x D381mm








Matt Black



Matt Black

Hereford 7

Freestanding gas stove with realistic log bed and real dancing flames. Featured a cast iron door for retained heat.

W565mm x H606mm x D376mm

BROSELEY

E



Matt Black



Matt Black

Winchester

Freestanding gas cast iron stove with included realistic coal or log bed. A traditional design with side viewing windows.

W600mm x H605mm x D495mm

BROSELEY

C



Matt Black



Matt Black

Plain Door option

Canterbury

Freestanding gas cast iron stove with realistic coal bed & arched window. Concealed controls and classic styling. Optional plain door available.

W605mm x H660mm x D335mm

BROSELEY

E



Matt Black



Matt Black

Lincoln

Freestanding gas cast iron stove with realistic coal bed in Matt Black with a classic double door design.

W590mm x H660mm x D320mm

BROSELEY

E



Matt Black

BROSELEY

Multifuel Stoves

Our multifuel and woodburning stoves hold energy efficiency class (EEC) ratings of A – A+, making them the top of their class when it comes to reducing your carbon footprint.

Ecodesign Ready 2022 stoves are designed to burn at higher levels in the fire box; this greatly reduces the organic particles that are normally released, which in turn significantly reduces the level of emissions and has a positive impact on carbon reduction.

The Actiview™ system enables all our stoves to keep it's own glass clean for longer.

Hereford 5 Widescreen	54
Hotspur 5	55
Hotspur 9	55
Serrano 5	55
Serrano 5 Log Store	54

Key

Eco Design Ready 2022

Smoke Exempt Stove

EEC Rating

Heat output



Matt Black

Hereford 5 Widescreen

BROSELEY

A

5kW

5kW Multifuel stove, Eco Design Ready 2022, easy to operate controls. Featuring a cast iron door.

W565mm x H608mm x D366mm

Matt Black



Matt Black

Serrano 5 Log Store

BROSELEY

A

5kW

5kW Multifuel stove in full cast iron body and arched door and log store. Finished with a Chrome handle.

W414mm x H760mm x D473mm

Matt Black



Matt Black

Hotspur 9



9kW Woodburning stove with modern design and full length bar handle.
Optional Multifuel kit is available
W699mm x H617mm x D456mm

Matt Black



Matt Black

Hotspur 5



5kW Woodburning stove in a minimalistic design with full length bar handle.
Optional Multifuel kit is available
W467mm x H657mm x D431mm

Matt Black



Matt Black

Serrano 5



5kW Multifuel stove in full cast iron body and arched door. Finished with a Chrome handle.

W432mm x H540mm x D473mm

Matt Black

Technical Information

Micro Marble Surrounds

Model	Page	Mantel Width	Height	Hearth Width	Hearth Depth	Smartsense LED Lights	Rebate	Hearth	Micro Marble Finish
Elda	4	1220 (48")	1080	1220	400	Optional	45 / 75	SL	White/Black, Manila or White
Emelia	7	1220 (48")	1125	1220	400	Optional	45 / 75	SL	Manila or White
Emelia	7	1320 (52")	1125	1320	400	Optional	45 / 75	SL	Manila or White
Isabelle	7	1150 (45")	1045	1168	400	Optional*	45 / 75	SL	Manila
Madalyn	6	1220 (48")	1125	1220	400	Optional	45 / 75	SL	Manila or White
Madalyn	6	1320 (52")	1125	1320	400	Optional	45 / 75	SL	Manila or White
Somerton	6	1220 (48")	1080	1220	400	Optional	45 / 75	SL	White/Black, Manila or White
Tasmin	5	1070 (42")	1015	1070	400	Optional*	45 / 75	SL	Manila or White
Viola	5	1220 (48")	1110	1220	400	Optional	45 / 75	SL	Manila

* Tasmin & Isabelle do not include Smartsense option, manual lighting control is required

Micro Marble Inglenook

Model	Page	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth Depth Front - Back Panel	Smartsense LED Lights	Hearth	Micro Marble Finish
Allensford	9	1220 (48")	1095	1220	400	365	Optional	SL	White Micro Marble with choice of 3 back panels. White marble, Grey Slate effect or Grey Herringbone
Millgate	9	1170 (46")	1064	1170	400	365	Optional	SL	
Woodbridge	8	1220 (48")	1095	1220	400	365	Optional	SL	

Micro Marble Electric Fireplaces

Model	Page	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth	Trim Options	Heat Output	Finish
Elda	10	1220 (48")	1080	1220	400	SL	See page 43	1 / 2kW	Manila or White
Emelia	11	1320 (52")	1125	1320	400	SL	See page 43	1 / 2kW	Manila or White
Lorento	10	1194 (47")	1084	1220	240 / 400	BV	Glass	1 / 2kW	Manila or White
Madalyn	11	1320 (52")	1125	1320	400	SL	See page 43	1 / 2kW	Manila or White
Somerton	11	1220 (48")	1080	1220	400	SL	See page 43	1 / 2kW	Manila or White

Timber Inglenook

Model	Page	Mantel Width	Height	Depth	Overall Depth	Back Inglenook Inset	Hearth	Finish
Bainbridge (Flat Wall)	16	1220 (48")	1071	360	N/A	N/A	BV	Soft White & Stone
Bainbridge (Inset)	16	1220 (48")	1136	300	468	168	BV	Soft White & Stone
Barrowden	17	1070 (42")	1058	350	N/A	N/A	SL	Natural Oak & Anthracite or Country Oak, Stone & Anthracite
Cheshire	13	1220 (48")	1050	360	320	N/A	SL	Ash White & Grey Slate effect or Dark Grey & Grey Slate effect
Corbridge	16	1220 (48")	1113	300	468	168	BV	Soft White & Stone
Kingsbridge	12	1220 (48")	1075	360	N/A	N/A	SL	Ash White & Chicago Concrete
Knightley	14	1370 (54")	2200 - 2500	360	N/A	N/A	SL	Ash White, Chalet Oak & Grey Herringbone
Sennen	15	1370 (54")	1150	360	N/A	N/A	SL	Ash White, Chalet Oak & Grey Herringbone

Timber Surrounds

Model	Page	Mantel Width	Height	Opening Width	Opening Height	Rebate	Hearth	Finish
Hainsworth	18	1215 (48")	1050	754	850	45 / 75	Please refer to page 18 for back panel and hearth options	Natural Oak Effect
Westerdale	19	1220 (48")	1076	794	850	45 / 75		Soft White

Timber Electric Fireplaces

Model	Page	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth	Trim Options	Heat Input/Output	Finish
Avant	23	838 (35")	734	902	300	N/A	3 Sided	1 / 2kW	Ash White
Arbour	30	1140 (45")	820	1220	300	FL	Brushed Steel	1 / 2kW	Pearlescent Cashmere & Anthracite
Barrowden Inglenook	31	1070 (42")	1058	1070	350	SL	Matt Black	0.9/1.8kW	Natural Oak & Anthracite or Country Oak, Stone & Anthracite
Bewley	30	1070 (42")	1030	1050	330	SL	Chrome	1 / 2kW	Ivory
Bramwell	25	1142 (45")	1016	1130	300	SL	Brass or Chrome	1 / 2kW	Soft White or Light Grey
Broadwell	21	1220 (48")	1050	1220	300	SL	Matt Black	1 / 2kW	Dark Grey & Matt Black
Carina	27	1106 (44")	938	1106	360	BV	Chrome	1 / 2kW	Ivory
Colby	30	960 (38")	805	1016	300	SL	Chrome	1 / 2kW	Soft White or Stone
Devonshire	25	858 (34")	779	918	225	SL	Chrome	1 / 2kW	Natural Oak & Anthracite
Elsham	26	1020 (40")	920	1020	300	BV	Chrome	1 / 2kW	Pearlescent Cashmere or Soft White
Fairview	21	1470 (48")	1150	1600	260	N/A	N/A	1 / 2kW	Ash White
Hansford	26	1170 (46")	815	1170	300	BV	Brushed Steel	1 / 2kW	Pearlescent Cashmere
Hansford Grande	26	1320 (52")	760	1320	300	BV	Anthracite	1 / 2kW	Pearlescent Cashmere
Hayden	27	1170 (46")	1065	1170	280	SL	Chrome	1 / 2kW	Soft White
Knightly	24	1370 (54")	2200 / 2500	1370	360	SL	Matt Black	0.9/1.8kW	Ash White, Grey Herringbone & Chalet Oak
Lansing	28	1220 (48")	1083	1220	300	SL	Black Nickel	1 / 2kW	Ash White
Linmere	27	1120 (44")	995	1120	330	SL	Chrome or Black Nickel	1 / 2kW	Soft White
Linmere Oak	27	1120 (44")	995	1120	330	SL	Chrome	1 / 2kW	Natural Oak & Soft White
Marden	22	1066 (42")	940	1066	280	BV	Brushed Steel	1 / 2kW	Matt Cashmere
Orwell	25	1220 (48")	1071	1220	300	SL	Black Glass	1 / 2kW	Ash White
Oxton	20	1470 (58")	2200 / 2500	1600	260	N/A	N/A	1 / 2kW	Ash White
Poulton	22	1270 (50")	704	N/A	195	N/A	N/A	1 / 2kW	Ash White & Chalet Oak
Preston	28	1170 (46")	900	1170	300	BV	Chrome	1 / 2kW	Matt Cashmere & Anthracite
Ravensdale	31	1070 (42")	1058	1070	300	SL	Matt Black	1 / 2kW	Country Oak, Stone & Anthracite
Ravensdale	31	1070 (42")	1045	1070	300	SL	Matt Black	1 / 2kW	Soft White & Anthracite
Rossington	24	1170 (46")	1022	1170	300	SL	Black Glass	1 / 2kW	Ash White & Chalet Oak or Dark Grey & Chalet Oak
Sennen	24	1370 (54")	1150	1370	360	SL	Matt Black	0.9/1.8kW	Ash White, Grey Herringbone & Chalet Oak
Sevenoak	22	1370 (54")	653	1370	400	N/A	N/A	1 / 2kW	Ash White & Chalet Oak
Stanton	29	1170 (46")	1058	1170	330	BN	Chrome or Black Nickel	1 / 2kW	Soft White
Stanton Oak	29	1170 (46")	1058	1170	330	BN	Chrome	1 / 2kW	Natural Oak & Soft White
Wellbank	29	1220 (48")	823	1220	300	SL	Anthracite	1 / 2kW	Matt Cashmere
Westcroft	28	1220 (48")	1071	1220	300	BN	Chrome	1 / 2kW	Soft White
Whitham	30	1220 (48")	1011	1220	300	SL	Black Nickel	1 / 2kW	Soft White

Wall Mounted & Inset Electric Fires

Wall Mounted Fires	Page	Fascia	Remote Control	Width	Height	Depth	Heat Input / Output	Finish
Adali	34	Flat	☑	660	488	See page 18	1 / 2kW	Matt Black, Black Nickel, Brushed Steel
Albali	35	Flat	☒	971	608	174	1 / 2kW	Stone, Anthracite
Amari Wall Mounted	36	Flat	☑	960	450	126	1 / 2kW	Black Glass
Amari Freestanding	36	Flat	☑	960	521	207	1 / 2kW	Black Glass
Avant	33	3 Sided	☑	902	584	300	1 / 2kW	Ash White
Avella	34	Flat	☑	860	491	See page 19	1 / 2kW	Matt Black, Black Nickel, Brushed Steel
Avella Grande	34	Flat	☑	1150	492	See page 19	1 / 2kW	Matt Black, Black Nickel
Azonto	37	Flat	☑	900	580	110	1 / 2kW	Black Glass
Casita (18" inset)	36	Flat	☒	564	614	140	1 / 2kW	Black Nickel, Chrome
Casita (22" inset)	36	Flat	☒	670	630	165	1 / 2kW	Black Nickel, Brushed Steel, Chrome
Elyce	35	Flat	☑	1100	602	255	1 / 2kW	Matt Cashmere & Anthracite
Elyce Grande	35	Flat	☑	1390	602	255	1 / 2kW	Matt Cashmere & Anthracite
Quattro	32	Curved	☑	640	500	150	1 / 2kW	Black Glass

Inset Electric Fires

Inset Electric Fires	Page	Fuel Bed	Width	Height	Overall Depth	Inset Depth	Heat Input / Output	Trim Options
Abbey	38	Coal	569	731	160	90	1 / 2kW	Matt Black
Aspen *	41	Coal	525	590	165	0 / 90	1 / 2kW	Chrome
16" Athena	41	Log	514	610	163	140	1 / 2kW	Chrome, Black, Chrome / Black Duo
18" Athena	41	Log	564	610	163	140	1 / 2kW	Chrome, Black, Chrome / Black Duo
Banbury	40	Log	568	623	190	75	1 / 2kW	Matt Black
Bayden	40	Coal	483	593	196	0 / 53 / 110	1 / 2kW	Brass, Chrome
16" Beam - Axton	39	Log	509	593	177	75	1 / 2kW	See page 39
16" Beam - Echo	39	Log	509	593	165	75	1 / 2kW	See page 39
16" Beam - Edge	39	Log	509	593	110	75	1 / 2kW	Chrome, Black Nickel, Matt Black
16" Beam Maisie	39	Log	509	593	170	75	1 / 2kW	See page 39
22" Beam	39	Log	661	603	110	75	1 / 2kW	Chrome, Black Nickel, Matt Black
Camberley *	41	Coal	470	585	160	0 / 45 / 90	1 / 2kW	Brass, Chrome, Black
Coretta	40	Log	622	600	152	156	1 / 2kW	Chrome, Black Nickel
Ember	38	Coal	510	612	172	75	1 / 2kW	Chrome, Black Nickel
Enrico *	41	Coal	470	590	160	0 / 45 / 90	1 / 2kW	Brushed Steel
Fazer *	41	Coal	525	590	165	0 / 90	1 / 2kW	Brass, Chrome
Lexus *	40	Coal	470	585	160	0 / 90	1 / 2kW	Chrome
Mayfair *	40	Coal	470	585	160	0 / 45 / 90	1 / 2kW	Brass
Novus	38	Log	651	610	150	156	1 / 2kW	Chrome, Black Nickel
Vitesse *	40	Coal	525	590	165	0 / 90	1 / 2kW	Brushed Steel

* Supplied with spacer kit

BROSELEY Electric Stoves

Electric Stoves	Page	Fuel Bed	Width	Height	Depth	Inset Depth	Heat Output	Colour Options	Remote Control
Canterbury	49	Coal / Log	605	660	325	-	2kW	Matt Black	Yes
Colman	47	Log	445	528	272	-	0.9 - 1.8kW	Matt Black, Cream or French Grey	No
Elstow	48	Log	570	618	205	-	1 / 2kW	Matt Black	Yes
Espire	48	Coal	486	586	290	-	1 / 2kW	Matt Black or Ash White	Yes
Hereford 5	50	Coal	453	608	343	-	2kW	Matt Black	Yes
Hereford 7	50	Coal	565	608	343	-	2kW	Matt Black	Yes
Hereford Inset	50	Coal	490	587	224	75	2kW	Matt Black	Yes
Lincoln	49	Coal / Log	590	660	275	-	2kW	Matt Black	Yes
Qube	47	Log	435	560	240	-	1 / 2kW	Matt Black	No
Serrano	50	Coal	430	545	265	-	2kW	Matt Black	Yes
Southgate	49	Log	550	585	297	-	1 / 2kW	Matt Black or Dark Grey	Yes
Tunstall	46	Log	410	645	410	-	1 / 2kW	Matt Black	No
Tunstall Logstore	46	Log	410	850	410	-	1 / 2kW	Matt Black	No
Winchester	47	Coal / Log	640	620	365	-	2kW	Matt Black	Yes
York	48	Coal	465	580	310	-	2kW	Matt Black	Yes
Decorative Flue Pipe (plastic)	51	N/A	122	195	195	-	N/A	Matt Black, Cream or French Grey	N/A
Decorative Flue Pipe (metal)	51	N/A	170	220	252	-	N/A	Matt Black	N/A

BROSELEY Gas Stoves

Gas Stoves	Page	Fuel Bed	Width	Height	Depth	Heat Output	EEC	Flue Outlet Size	Flue Position	Remote Control
Canterbury	53	Coal	605	660	335	3.9	E	125mm (5")	Rear Only	No
Hereford 5	52	Log	453	606	381	4.5/4kW	C-E	125mm (5")	Top or Rear	Yes or No
Hereford 7	53	Log	565	606	376	4.7kW	E	125mm (5")	Top Only	No
Lincoln	53	Coal	590	660	320	3.9	E	125mm (5")	Rear Only	No
Winchester	53	Coal / Log	600	605	495	4.9 / 4.6kW	C-D	125mm (5")	Top or Rear	Yes

BROSELEY Multifuel Stoves

Multifuel Stoves	Page	Fuel Type	Width	Height	Depth	Heat Output	EEC	Flue Outlet Size	Flue Position	DEAS KIT
Hereford 5 Widescreen	54	Wood & Coal	565	608	366	5kW	A	125mm (5")	Top or Rear	Yes
Hotspur 5	55	Wood*	467	657	431	5kW	A+	125mm (5")	Top or Rear**	Yes
Hotspur 9	55	Wood*	669	617	456	9kW	A	150mm (6")	Top	Yes
Serrano 5	55	Wood & Coal	432	540	473	5kW	A	125mm (5")	Top or Rear	Yes
Serrano 5 Log Store	54	Wood & Coal	414	760	473	5kW	A	125mm (5")	Top or Rear	Yes

* An optional multifuel kit is available | ** Rear flue available when fitted with an adapter

Inset Gas Fire Collections: Classic and Design

	Slimline Radiant	Deepline				Mid Depth H.E
		Radiant	Convactor	H.E	Balanced Flue	
Manual Control	Yes	Yes	Yes	N/A	Yes	N/A
Smartslide Control	Yes	Yes	Yes	Yes	Yes	Yes
Front	Open	Open	Open	Glass	Glass	Glass
Classic / Design Fascia Width	510	510	510	510	510	510
Classic / Design Fascia Height	605	605	605	605	605	605
Inset Depth	123	173	198	198	186	128
Efficiency	52%	52%	62%	87%	86%	82%
Efficiency with Xtra Canopy	58%	55%	N/A	N/A	N/A	N/A
Energy Efficiency Class	F	F	F	C	C	D
Heat Input (High / Low - Manual Control)	6.75 / 3.5kW	6.75 / 3.5kW	6.75 / 3.5kW	N/A	4.2 / 2.9kW	N/A
Heat Output (High / Low - Manual Control)	3.2 / 1.5kW	3.2 / 1.5kW	3.8 / 1.8kW	N/A	3.3 / 2.1kW	N/A
Heat Output (High / Low - Manual Control) with Xtra Canopy	3.5 / 1.7kW	3.4 / 1.6kW	N/A	N/A	N/A	N/A
Heat Input (High / Low - Slide Control)	6.75 / 3.0kW	6.75 / 3.0kW	6.75 / 3.0kW	5.3 / 2.7kW	4.2 / 2.7kW	3.7 / 2.5kW
Heat Output (High / Low - Slide Control)	3.2 / 1.3kW	3.2 / 1.3kW	3.8 / 1.6kW	4.2 / 2.0kW	3.3 / 2.0kW	2.7 / 1.7kW
Heat Output (High / Low - Slide Control) with Xtra Canopy	3.5 / 1.4kW	3.4 / 1.4kW	N/A	N/A	N/A	N/A

Complete Inset Gas Fires

Model	Page	Fuel Bed	Chamber Type	Width	Height	Depth	Trim Options	Efficiency	Heat Input (kW) 120 / 180		Heat Output(kW) 120 / 180	
Abbey	45	Coal	Slimline: Black - Plain Deepline: Black - Brick	560	716	120 / 180	Black Highlight & Fully Polished Cast	56% / 57%	Min: 2.3	Max: 6.3 / 6.95	Min: 1	Max: 3.2 / 3.6
Avantgarde	45	Coal		470	585	120 / 180	Brass, Chrome, Black	56% / 57%	Min: 2.3	Max: 6.3 / 6.95	Min: 1	Max: 3.2 / 3.6

All dimensions are provided in mm unless otherwise stated

† 12 Month warranty on Abbey and Avantgarde models

Specification correct at time of print



For over 56 years Be Modern has been manufacturing fires and fireplaces to the highest of standards.

All gas fires are rigorously tested and checked by our internal Quality Control Department to the latest ISO standards before being sent to our approved retailers.

All gas fires are supplied with a 5 year[†] warranty providing you with the reassurance and peace of mind that you have purchased and installed a high quality product.

All fires are fitted with an Oxygen Depletion Sensor that shuts off the gas supply if the oxygen level is too low in the room or if there is a blockage in the chimney or flue.

Only use a Gas Safe Engineer to fit or service your gas fire.





Caring for your fire

Our range of gas fires have been designed to provide you with a clean and efficient heat source as well as years of hassle-free operation. To ensure your fire provides you with maximum enjoyment we have provided the following guidelines for caring for your fire.

1. Only use a Gas Safe Engineer to fit or service your gas fire.
2. Never attempt to remove or service the gas fire yourself.
3. Your gas fire should be regularly serviced and safety checked every year.
4. If you think there might be a gas leak or notice any signs of carbon monoxide, act quickly and follow the advice for gas emergencies.
5. If you are in any doubt regarding your gas fire, speak to a Gas Safe Engineer or contact your local fireplace retailer for assistance.

Under mantel LED lighting



Under mantel LED lighting highlights every natural detail of micro marble, giving your whole room a soft illuminated background. The lighting is concealed in the top recess of your surround creating an aesthetically pleasing yet energy efficient feature as an option on all models across the Marble range.

Hearths



BN - Bullnose
SL - Standard Lipped
BV - Bevelled
FL - Flush

bemodern®

For more information on our other brands,
please contact them below.

FLARE

collection

www.flarecollection.com

tel: 0191 489 8006



ELGIN & HALL®

BRITISH MADE

www.elginandhall.co.uk

tel: 0191 430 9434



P R Y Z M

REVOLUTIONIZING FLAMES

www.elginandhall.co.uk/collection/pryzm

tel: 0191 430 9434



atlanta®

Bathrooms

atlantabathrooms.com

tel: 0191 428 0444



FLARE

collection

by **bemodern**[®]



Contact Us

For more information or to place an order please contact us

Tel: 0191 489 8006 | Email: sales@bemodern.com | Visit: flarecollection.com

BeModern[®] | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne and Wear | NE32 3BE

BeModern[®] hold design copyright and registration of design for its product ranges. BeModern[®] are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used and you may find that shades, natural grain markings and marble colouring are not consistent. © BeModern[®] February 2022



www.carbonbalancedprint.com
CBP2105

