

BRITISH MADE

FIRE & STOVE COLLECTION



HEATING HOMES FOR GENERATIONS



Welcome

An Elgin & Hall electric or gas fire could easily be the most rewarding addition you make to your home and its value. Since the foundation of our parent company in 1963, we have successfully continued to grow from our base in the North East of England. Every design is lovingly created here in the UK.

Over 58 years of continuous innovation and development has provided us with a collection of fires and fireplaces to suit any interior and lifestyle, whilst always adhering to our founding principles of elegance and simplicity. This timeless quality means your chosen fireplace will always be comfortably in agreement with your tastes in furnishing and décor.

You can rest assured that our gas and electric fires are engineered, produced and tested for peak performance and reliability.

Our fires are designed to keep up with changing lifestyles and include features which only we can produce thanks to our investment in the latest machinery.

At the same time, we depend on our craft skills to hand finish piece to perfection. It is this balance of innovation and heritage that makes your Elgin & Hall fire uniquely special.

As part of the BeModern[®] Group we manufacture a range of product in house, to include, surrounds, fires and fireplaces in marble and timber, as well as steel and cast stoves. Our bathroom and bedroom range suits both the traditional and contemporary home.



Contents

Welcome	2
Our Commitment	4
Our History	5

Electric Fires

Pryzm Volta Inset Hole in the Wall	7
Arteon	8-9
16" Pryzm Inset	
22" Pryzm Inset	11
16" Chollerton / Edge Inset	
22"-16" Chollerton Inset	
Elsie 950 Inset	
Elsie 900 Inset	13

Gas Fires

Choosing the Right Engine 15
16" Inset Gas Fires 16
16" Cast Stove Front 16
16″ Eclipsim Fascia 16
Classic Collection 17
16" Calleos 18
22" Calleos 18
16" / 22" Calleos Cast Stove Front 19
Elsie 950 18
Elsie 900 19
Calleos 600CF 20-21
Calleos 800CF 22
Elsie 960BF23

Electric Stoves

Beacon
Vue
Desire
Ora
Heslington
Ignite Inset
Decorative Flues

Gas Stoves

Evolution 5	31
Endure	31
Cast Stove Front	31
Ignite 5 / 7	32
Desire 5 / 7	33

Multifuel Stoves

Ignite Widescreen	35
Desire Widescreen	35

Technical Information	. 36-37
Our Brands	39

evolution **Electric Stoves**

With an electric stove there's no need for a flue. You can safely sit a stove directly on to a level surface such as a wooden floor; the only installation required is plugging into a socket. It will convect heat into the room, thermostatically controlled for lasting comfort.

Benefits

With an electric stove you don't need to generate heat to enjoy its comforting glow. The LED flame effect only control option, lets you experience it any time of the day or year.

Efficient

Enjoy the convenience of efficient, instantly controllable heat and clean maintenance free living. By itself the LED



operate. Which is why they come complete with a remote control* to put different levels of heat, light and flame at your fingertips. *Unless otherwise stated



Are easily accessible with main functions.

Beacon Stove & Inset

A freestanding lightweight stove made from timber, but with the distinct appearance of steel, the Beacon offers an ultra-realistic flame effect and glowing log bed. Conveniently control the 2kW heat output with the 7 day programmable thermostatic remote control. All this is also available in a compact inset version in Matt Black, which boasts a 45mm rebate making it perfect for any 45mm or 75mm rebated marble or timber surround. In two sizes, large and small, both inset stoves will fit into a standard 16" back panel cut out.









Small	in	Ash	White	

	Free Standing	Inset					
Stove Finish	Matt Black or Ash White	Matt Black					
Stove Heat Output	Up to 2kW	Up to 2kW					
Stove Control	7 Day Thermostatic Re	mote Control					
Stove Size	Small or Large	Small or Large					
Rebate	N/A	45mm					
Backpanel Cut Out Required	N/A	Will fit a standard 16″ back panel cut out					



Free Standing Small Large A) Width 486mm A) Width 586mm B) Height 599mm B) Height 599mm C) Depth 292mm C) Depth 292mm



E) Inset 45mm

A) Width 486mm A) Width 586mm B) Height 599mm B) Height 599mm D) Depth 232mm D) Depth 232mm E) Inset 45mm

Vue


Incorporating the latest LED technology to boast an ultra-realistic flame effect and pulsating log bed, behold the stunning Vue electric stove in Matt Black finish with glass top. Built from Steel and complete with 3 height options within one box, the Vue is an easy to assemble, freestanding stove.


The charming glass top houses the simple and easy to operate touch controls and a 7 day programmable thermostat remote control allows the 1.8kW heat output and flame intensity to be set to your preference. Admire the glowing log bed and mesmerising flame effect via 3 large windows which allow a full 180 degree view.













Vue LS Plus A) Width 450mm B) Height 1035mm C) Depth 404mm







Vue A) Width 450mm B) Height 704mm C) Depth 404mm

Desire Stove & Inset

Our Desire electric stoves provide the shimmer and smoulder of a coal burning stove but in the most convenient form. This Steel construction in Matt Black finish is available in three sizes, each providing up to 2kW heat output and a 7 day programmable thermostat remote control.








В



	Free Standing	Inset				
Stove Finish	Matt Black	Matt Black				
Stove Heat Output	Up to 2kW	Up to 2kW				
Stove Control	7 Day Thermostatic Re	mote Control				
Stove Size	5 or 7	N/A				
Rebate	N/A	69mm				
Backpanel Cut Out Required	N/A	Will fit a standard 16" back panel cut out				



Free Standing Desire 5 Desire 6 A) Width 430mm A) Width 486mm A) Width 542mm B) Height 587mm B) Height 587mm B) Height 587mm C) Depth 292mm C) Depth 292mm C) Depth 292mm



Desire 7



Inset

Note: Spigot is an optional extra

Ora Stove & Inset


The traditional Ora 5 & 7 freestanding electric stove boasts a gentle arched window set into a Cast Iron door with Steel body. Beautifully finished in Matt Black, the realistic glowing log bed shimmers beneath the dancing flames; enjoy up to 2kW heat or flame effect only, saving energy and money.








	Free Standing	Inset					
Stove Finish	Matt Black	Matt Black					
Stove Heat Output	Up to 2kW	Up to 2kW					
Stove Control	7 Day Thermostatic Rei	mote Control					
Stove Size	5 or 7	N/A					
Rebate	N/A	69mm					
Backpanel Cut Out Required	N/A	Will fit a standard 16" back panel cut out					



A) Width 453mmA) Width 565mmB) Height 604mmB) Height 604mmC) Depth 377mmC) Depth 377mm




E) Inset 69mm

Heslington Matt Black Up to 2kW 7 Day Thermostatic Remote Control Standard Window Arched Window Plain Window А В

A) Width 591mm B) Height 651mm C) Depth 324mm



With Arched Window (Standard)





Holton Inglenook compatibility with Stove **11e**)ecorative f

	Beacon Small / Large	Heslington	Desire 5/6/7	Ora 5/7	Canterbury**	Colman ^{**}	Elstow ^{**}	Espire**	Hereford 5/7**	Lincoln**	Serrano ^{**}	Qube**	Tunstall**	Southgate**	Winchester**	York**	
Stove only	\checkmark	\checkmark	\checkmark	√*	\checkmark	\checkmark	\checkmark	\checkmark	√*	\checkmark	\checkmark	\checkmark		\checkmark	\checkmark	\checkmark	
Plastic Flue	\checkmark		\checkmark	√*		\checkmark		\checkmark	√*		\checkmark	\checkmark		\checkmark	\checkmark	\checkmark	
Metal Flue			\checkmark			\checkmark		\checkmark			\checkmark	\checkmark		\checkmark		\checkmark	
*Handle and / or skirt will protrude over the front of the hearth slightly. **Available from flarecollection.com																	

Decorative Flues Suitable for electric stoves only French Matt Matt Cream Grey Black Black 4" Plastic flue in 5" Metal flue in Matt Black, Cream or Matt Black finish French Grey finish

A) 122mm | B) 195mm | C) 195mm | A) 170mm | B) 220mm | C) 252mm

evolution Gas Stoves

From hand crafted ceramic fibre logs, the flame picture is remarkably reminiscent of the real thing. The heat is comparable in quality to the warmth radiating from our equivalent multifuel models. Although the output is slightly less, the extra convenience of gas more than compensates.

Installation

Current regulations stipulate that all gas stove installations must be carried out by a Registered Gas Safe Engineer.

For information and advice on a Gas Safe Engineer, please contact your local Elgin & Hall retailer.

Servicing

We recommend that all gas stoves are serviced annually by a Registered Gas Safe Engineer to ensure continued operation and optimum performance.

This annual service is a condition of our warranty, and you must show a record of approved servicing.

Warranty

Gas stove appliances carry a 1 Year warranty which covers any manufacturing faults. It is important to note that a number of components in your stove are classed as consumable and therefore will need to be replaced from time to time. (Consumable parts include grates, firebricks and rope.)

Safety Assurance



Flame Failure Device

All of our gas fires are fitted with a flame monitoring device ensuring that in the event of the flame going out during its operation, the gas supply to the fire is instantly cut off.



Oxygen Depletion Sensor

For your safety, all our gas fires are fitted with an Oxygen Depletion Sensor. This will shut off the gas supply if the oxygen level in the room is too low or if there is a blockage in the chimney or flue.



Quality Approved

All our fires are manufactured in accordance with internationally recognised Quality and Environmental Management System Standards ISO 9001:2015 and ISO 14001:2015 guaranteeing responsible working and product quality.

Super Controllable



Remote Control

Effortless to operate, choose remote control* where available to easily put different levels of heat at your fingertips.

*Only availabe on stated models



Manual Control

Our manual controls are easily accessible offering a convenient way to control the heat with in your room.







Evolution 5

Stove Finish	Matt Black	Matt Black						
Deluxe	Optional glass top	Optional glass top available						
Stove Heat Output	4.3kW (top) 4.15	kW (rear)						
Stove Control	Remote Control							
Efficiency	83% (top) 80% (r	ear)						
Flue Outlet	Top and rear							
	Energy Efficiency Cla	SS						
Тор	Manual: D	Remote: C						
Rear	Manual: E	Remote: D						
		A) Width 453mm B) Height 586mm C) Depth 436mm						

Endure

Stove Finish	Matt Black
Flue Diameter	150mm Balanced Flue*
Stove Heat Output	3.3kW (high) 2.1kW (low)
Stove Control	Manual
Efficiency	86.2%
Flue Outlet	Rear
En	ergy Efficiency Class
Тор	Manual: C
A	⊢ C – I
B	A) Width 542mm B) Height 622mm C) Depth 336mm

Cast Stove Trim


	Mid Depth HE	Deepline HE	Balanced Flue*	
Width	559mm	559mm	559mm	
Height	658mm	658mm	658mm	
Inset Depth	128mm	198mm	186mm	
Inset Width	403mm	403mm	403mm	
Inset Height	553mm	553mm	553mm	
Output - High	2.7kW	4.2kW	3.3kW	
Output - Low	1.7kW	2.2kW	2.1kW	
Efficiency	82%	87%	86.2%	
Energy Efficiency Class	D	C	c	
		A) Width B) Height C) Depth		

* Includes Balanced Flue kit




Ignite 5 & 7 gas Freestanding gas stove

	Ignite 5	lgnite 7
Stove Finish	Matt Black	Matt Black
Flue Diameter	125mm	125mm
Stove Heat Output	4.3kW (top) 4.15kW (rear)	4.7kW (top)
Stove Control	Optional Remote Control	Manual
Efficiency	83% (top) 80% (rear)	80%
Flue Outlet	Top and rear	Тор
	Energy Efficiency Class	
Тор	Manual: D Remote: C	Manual: E
Rear	Manual: E Remote: D	N/A



A) Width 430mm | B) Height 582mm | C) Depth 371mm





A) Width 542mm | B) Height 582mm | C) Depth 345mm



Desire 5 & 7 gas Freestanding gas stove

	Desire 5	Desire 7
Stove Finish	Matt Black	Matt Black
Flue Diameter	125mm	125mm
Stove Heat Output	4.5kW (top) 4kW (rear)	4.7kW (top)
Stove Control	Optional Remote Control	Manual
Efficiency	83% (top) 74% (rear)	80%
Flue Outlet	Top and rear	Тор
	Energy Efficiency Class	
Тор	Manual: D Remote: C	Manual: E
Rear	Manual: E Remote: E	N/A





A) Width 542mm | B) Height 582mm | C) Depth 345mm

Finishes & Dimensions

Inset Wall Mounted Electric Fires

D	Description	For all and	Width	Height	laset Death	Opening	Required	Finish	
Page	Description	Engine	widui Heigin		Inset Depth	Width	Height	FIIIISII	
7	Volta 32″ - Pryzm	750	804mm	432mm	238mm	792mm	398mm	Black Nickel,	
7	Volta 42" - Pryzm	1000	1054mm	432mm	238mm	1042mm	398mm	Matt Black or Chrome	

Arteon 3 sided glass electric fire

Daga	Description Height Description		Depth	Engine	Heat Output	Optional Mood	Fuel Bed Options			
rage	Description	1 Sided	2 Sided	3 Sided	rreigni	Depth	Lugine		Lighting	Fuel bed Options
8-9	Arteon 1000-3SL (1,2 or 3 Sided)	1002mm	1015mm	1028mm	515mm	See Page 8				Logs, Crystals,
8-9	Arteon 1250-3SL (1,2 or 3 Sided)	1252mm	1265mm	1278mm	515mm		1000, 1250 or 1500 3SL	1.5kW	Yes. 0.8 cable + 3m LED Lights	Pebbles, Bark
8-9	Arteon 1500-3SL (1,2 or 3 Sided)	1502mm	1515mm	1528mm	515mm	Tage 0	1500 55L		Sin LED Lights	& Slate

Inset Electric Fires

Page	Model	Trim	Width	Height	Inset Depth	Finish	22" Switch
12	16" Chollerton	Chollerton	512mm	611mm	140mm / 75mm*	Chrome or Black Nickel	x
12	16" Chollerton Edge	Edge	511mm	611mm	140mm / 75mm*	Chrome or Black Nickel	×
13	Elsie 950	N/A	800mm	622mm	165mm	Matt Black	×
13	Elsie 900	N/A	660mm	742mm	165mm	Matt Black	×
		Chollerton	512mm	611mm	140mm / 75mm*	Chrome or Black Nickel	x
		Edge	511mm	611mm	140mm / 75mm*	Chrome or Black Nickel	×
10	16" Pryzm	Devotion	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	×
10		Devotion + Belmont	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	×
		Devotion + Hampden	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	x
		Devotion + Brantley	510mm	605mm	140mm / 75mm*	Brass, Brushed Steel, Chrome, Blk Nickel	x
	22" Chollerton**	Chollerton	612mm	611mm	140mm / 75mm*	Chrome or Black Nickel	\checkmark
12	(Fits into a 22" & 16"	Edge	611mm	611mm	140mm / 75mm*	Chrome or Black Nickel	\checkmark
	back panel)	Cast Stove Front	668mm	672mm	140mm	Matt Black	\checkmark
1.1	22% D	Chollerton	612mm	611mm	140mm / 75mm*	Chrome or Black Nickel	\checkmark
11	22" Pryzm	Edge	611mm	611mm	140mm / 75mm*	Chrome or Black Nickel	\checkmark
11	22" Pryzm	Cast Stove Front	668mm	672mm	140mm	Matt Black	\checkmark

* 75mm achieved when used with Spacer Frame | ** Spacer required for 16" back panel cutout

Inset Gas Fires: Calleos Gas

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height	EEC
18	16" Calleos	512mm	611mm	197mm	403mm	555mm	С
18	22" Calleos	612mm	611mm	195mm	560mm	556mm	С

Inset Gas Fires: Exclusive, Devotion & Classic Collections

Page Model		Width	Height	Inset Depth	Inset Width	Inset Height	EEC
16-17 Slimline	Radiant	510mm	605mm	123mm	352mm	553mm	F
16-17 Deeplin	e Radiant	510mm	605mm	173mm	403mm	553mm	F
16-17 Deeplin	e Convector	510mm	605mm	198mm	403mm	553mm	F
16-17 Mid-De	pth High Efficiency	510mm	605mm	128mm	403mm	553mm	D
16-17 Deeplin	e High Efficiency	510mm	605mm	198mm	403mm	553mm	С
16-17 Balance	d flue*	510mm	605mm	186mm	400mm	550mm	С
*Includes balan	ced flue kit					See pages 16	-17 for finishes

Inset Gas Fires: Eclipsim Cast Fascia

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height
16	Slimline Radiant	563mm	716mm	123mm	352mm	553mm
16	Deepline Radiant	563mm	716mm	173mm	403mm	553mm
16	Mid-Depth High Efficiency	563mm	716mm	128mm	403mm	553mm
16	Deepline High Efficiency	563mm	716mm	198mm	403mm	553mm
16	Balanced flue	563mm	716mm	186mm	400mm	550mm

Wall Mounted Inset Gas Fire

Page	Model	Width	Height	Depth	Inset Depth	Finish	EEC
22	Calleos 800CF - Slim Trim	798mm	415mm	280mm	278mm	Matt Black	E
22	Calleos 800CF - Wide Trim	857mm	474mm	280mm	278mm	Matt Black	E
20-21	Calleos 600CF - Slim Trim	598mm	598mm	280mm (+18~32mm)	280mm	Matt Black	E
20-21	Calleos 600CF - Wide Trim	747mm	747mm	290mm	280mm	Matt Black	E
23	Elsie 960 Balanced Flue*	1198mm	666mm	187mm	174mm	Brushed Steel Trim	С
19	Elsie 900	660mm	742mm	273mm	255mm	Matt Black	D
18	Elsie 950	800mm	622mm	273mm	255mm	Matt Black	E


*Includes balanced flue kit

Inset Gas Fires: Cast Stove Front

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height
31	16" Mid-Depth High Efficiency	562mm	659mm	128mm	403mm	553mm
31	16" Deepline High Efficiency	562mm	659mm	198mm	403mm	553mm
31	16" Balanced flue*	562mm	659mm	186mm	400mm	550mm
31	16" Calleos	562mm	659mm	197mm	403mm	555mm
31	22" Calleos	668mm	672mm	195mm	560mm	556mm

defra

*Includes balanced flue kit | Calleos was formerly the Chollerton



All multifuel stoves are smoke exempt. External air intake option available on all Ignite and Desire models.

EEC = Energy Efficiency Class | All dimensions shown in mm. Endure Balanced Flue Stove come complete with the flue kit. For full product specifications please visit www.elginandhall.co.uk

Freestanding Electric Stoves

Page	Model	Width (A)	Height (B)	Depth (C)	Nominal Heat Output		
25	Beacon Small	486	599	292	2kW		
25	Beacon Large	586	599	292	2kW		
27	Desire 5	430	587	292	2kW		
27	Desire 6	486	587	292	2kW		
27	Desire 7	542	587	292	2kW		
29	Heslington	591	651	324	2kW		
28	Ora 5	453	604	377	2kW		
28	Ora 7	565	604	377	2kW		
26	Vue	450	704	404	1.8kW		
26	Vue LS	450	931	404	1.8kW		
26	Vue LS Plus	450	1035	404	1.8kW		

Inset Electric Stoves

Page	Model	Width	Height	Depth	Inset Depth	Finish	Nominal Heat Output
27	Desire	486mm	587mm	238mm	69mm	Matt Black	2kW
28	Ora	506mm	597mm	249mm	69mm	Matt Black	2kW
29	Ignite	486mm	587mm	236mm	69mm	Matt Black	2kW
25	Beacon Small	486mm	599mm	232mm	45mm	Matt Black	2kW
25	Beacon Large	586mm	599mm	232mm	45mm	Matt Black	2kW

Freestanding Gas Stoves

Page	Model	Width (A)	Height (B)	Depth (C)	Flue Diameter	To centre of rear flue (D)	To centre of top flue (E)	Nominal Heat Output	Efficiency	EEC
33	Desire 5	430	582	371	125	480	130	6kW Input / 4.5kW Output	83%	C-E
33	Desire 7	542	582	345	125	N/A	162	6.5kW Input / 4.7kW Output	80%	E
31	Endure Balanced Flue	542	622	336	150	417	N/A	4.2kW Input / 3.3kW Output	86.2%	С
31	Evolution 5 / 5 Deluxe	453	586	436	125	479	136	5.7kW Input / 4.3kW Output	83%	C-E
32	Ignite 5	430	582	371	125	480	130	6kW Input / 4.5kW Output	83%	C-E
32	Ignite 7	542	582	345	125	N/A	162	6.5kW Input / 4.7kW Output	80%	E


Freestanding Multifuel Stoves (EcoDesign Ready 2022)

Page	Model	Fuel Type	Width (A)	Height (B)	Depth (C)		To centre of rear flue (D)		Nominal Heat Output	Efficiency	EEC	DEAS KIT (Direct External Air Supply)
35	Desire 5 Widescreen	Multifuel	542	582	356	125	470	115	5kW: Wood	79% Wood	А	\checkmark
35	Desire 5 Widescreen with log store	Multifuel	542	827	356	125	715	115	5kW: Wood	79% Wood	А	\checkmark
35	Ignite 5 Widescreen	Multifuel	542	582	356	125	470	115	5kW: Wood	79% Wood	А	\checkmark
35	Ignite 5 Widescreen with log store	Multifuel	542	827	356	125	715	115	5kW: Wood	79% Wood	А	\checkmark

Scan the QR code below with your mobile phone camera to view the latest from Elgin & Hall

Watch Videos of our products







Find your local retailer



Visit our website elginandhall.co.uk











Contact Us

For more information or to place an order please contact us Tel: 0191 430 9434 | Email: enquiries@elginandhall.co.uk | Visit: www.elginandhall.co.uk

BeModern[®] | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne and Wear | NE32 3BE

BeModern® hold design copyright and registration of design for its product ranges. BeModern® are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used and you may find that shades, natural grain markings and marble colouring are not consistent. © BeModern® February 2022 Front cover: Arteon 1250 3SL (2 Sided) | 16" Calleos inset gas fire with Edge Black Nickel trim | Heslington electric stove



