


SEE ALSO OUR FIREPLACE BROCHURE'S



oer
stove collection

oer
stove collection

AGENT

FIREPLACE WORKS

Normacot Road • Longton • Stoke-on-Trent • Staffordshire • ST3 1PN

Tel: +(44) 01782 319 350 • Fax: +(44) 01782 593 479 • Email: sales@oerfireplaces.com

www.oerfireplaces.com



WELCOME TO OLDE ENGLANDE REPRODUCTIONS LATEST COLLECTION OF MULTI-FUEL AND GAS STOVES

Our range of British manufactured multi-fuel stoves are designed to offer you a comprehensive choice. All models are approved for use in smoke control areas and have received DEFRA'S recommendation for exemption from the clean air act 1993.

All models carry the independently tested CE approval BS EN 13240.

Our stoves are manufactured by a British company which has a history of stove production dating back to the early 1800's.

OER (Olde Englande Reproductions Ltd) have been part of the fireplace and fire industry for over 30 years and have a wealth of experience in design and manufacturing and this expertise was used to launch our new collection of stoves.



oer

QUALITY • EXCLUSIVITY • RELIABILITY

If you require even more choice then please visit our website

www.oerfireplaces.com

Contact sales@oerfireplaces.com for your nearest OER approved stockist




on multi-fuel stoves



on gas stoves

Every OER stove carries the piece of mind of a 7 year guarantee against material and manufacturing defects on the stove body. Cast iron parts are guaranteed for 2 years and consumable components and glass parts are guaranteed for 1 year against material and manufacturing defects subject to the terms and conditions as specified in the guarantee document supplied with the product.

AWARD WINNING
STOVES



contents

OER 5 multi-fuel stove	PAGE 4
OER 5 with high & low leg options	PAGE 5
OER 7 multi-fuel stove	PAGE 6
OER 7 with high & low leg options	PAGE 7
OER 7 with enamel door	PAGE 8
OER double sided multi stove	PAGE 11
OER 5 & OER 7 multi-fuel stove	PAGE 12
OER balanced flue gas stove	PAGE 13
OER gas stove	PAGE 14-15
Tiled and brick chambers	PAGE 16-18
OER Hearths	PAGE 19
OER collection of beams	PAGE 20-21
Technical Specifications	PAGE 22-23



ECO DESIGN READY
75% +
EFFICIENCY



SMOKE
CONTROL
EXEMPT

All OER multifuel stoves carry an independently tested CE Approval to standard BS EN 13240 and are so efficient and clean burning they have received DEFRA'S recommendation for exemption from the Clean Air Act 1993.

OER stoves which carry this symbol can be used in Smoke Control Area when burning wood, as well as authorised smokeless fuels. They can also be used in smoke free zones in the Republic of Ireland when burning wood or peat briquettes.

Do I live in a smoke control area? Many large towns and cities in the UK are designated smoke control areas. To find out if you are located in one of these areas please contact the Environmental Health & Protection Department of your local Authority. For contact information visit www.direct.gov.uk




oer 5 MULTI-FUEL STOVE

with high and low leg options

OPTIONAL EXTRAS

- Enamel doors
- Leg heights

To stay cool the removable magnetic handle should be removed when the appliance is burning.



oer 5 MULTI-FUEL STOVE

shown with the grey Cheltenham suite and ash chamber

FEATURES

- Top or rear flue
- Over 75% efficiency
- Large window
- Reliable steel body & cast door combination
- Suitable for use in smoke control area
- Clean glass air wash system
- CE Approval to BS EN 13240
- Maximum heat output 4.9 kW
- Flue outlet 125mm (5")

OPTIONAL EXTRAS

- Low legs (150mm)
- High legs (300mm)
- Enamel doors

To stay cool the removable magnetic handle should be removed when the appliance is burning.



STANDARD BLACK



Shown with soft white enamel door



Shown with grey enamel door



oer 7 MULTI-FUEL STOVE

shown with solid Walnut Kensington and Ivory chiselled chamber

FEATURES

- Top or rear flue
- Over 75% efficiency
- Large window
- Reliable steel body & cast door combination
- Suitable for use in smoke control area
- Clean glass air wash system
- Maximum heat output 6.9 kW
- Flue outlet 125mm (5")

OPTIONAL EXTRAS

- Low legs (150mm)
- High legs (300mm)
- Enamel doors

Please note all handles are magnetic and should be removed when the appliance is burning.

• **A reduction kit is available to convert to 4.9 kW output**



High and low leg options



Shown with soft white enamel door



Shown with grey enamel door



oer GLENMORE

Solid oak dark grey colour wash surround and mirror with chamber and OER 7 multi-fuel stove with enamel white door

PRODUCT OF THE YEAR

WINNER



SOLID FUEL
FIREPLACE SUITE
WINNER



oer INSET STOVE
shown with the solid oak Lineare

FEATURES

- Fits standard 16" X 22" fireplace openings
- Reliable steel body & cast door combination
- Up to 10 hours burn time
- 150mm (6") flue at 45 degree bend
- Suitable for use in a smoke control area
- CE Approval to standard BS EN 13229
- 4.7 kW output
- Clean glass airwash system
- Large window

OPTIONAL EXTRAS

- Enamel doors

Please note all handles are magnetic and should be removed when the appliance is burning.



Shown with the black Viven Lodge

NOTE: Available with or without beam. See our fireplace brochure for our full range of made to measure fireplaces.



oer MULTI-FUEL INSET STOVE
shown with the vintage lodge fireplace



oer DOUBLE SIDED MULTI-FUEL STOVE
shown with red enamel door

oer DOUBLE SIDED MULTI-FUEL STOVE



FEATURES

- Double sided, see the flames from both rooms
- Reliable steel body & cast door combination
- Suitable for use in a smoke control area
- 6.9 kW output
- 2 large view windows
- CE Approval to standard BS EN 13240
- Clean glass airwash system

OPTIONAL EXTRAS

- Enamel doors
- Please note all handles are magnetic and should be removed when the appliance is burning.*





THE BLOX FIREPLACE WITH **oer 5** STOVE



THE ASH FIREPLACE WITH **oer 7** STOVE
and grey enamel door

The above fireplaces are suitable for solid fuel or gas and can be made to measure.



ASTORIA FIREPLACE WITH
oer BALANCED FLUE GAS STOVE

FEATURES


- Rear flue
- 3.4kw output
- 84.2% efficiency
- Log only
- Black only
- Fully thermostatic remote



Full remote control



75%+ EFFICIENCY



Full remote control

oer GAS STOVE shown with white enamel door and logs

- FEATURES**
- Top or rear flue
 - Over 75% efficiency
 - Large Window
 - Reliable steel body and cast door combination
 - Maximum Heat Output 3.9kw Maximum Heat Input 5.7kw
 - Flame supervision device and Oxygen depletion sensor
 - Fully automatic remote control with programmable timer
 - Optional extra coal bed

NOTE: For rear flue refer to installation instructions




oer GAS STOVE shown with grey enamel door and coal



oer GAS STOVE Black with logs. Shown with award winning Marseille fireplace. (See fireplace brochure for full choice)

oer CHAMBERS

All our chambers are made to measure. Hearths to match are available.



URBAN BRICK



AUTUMN BLEND




OCHRE SLATE



IVORY CHISELLED MARBLE



ASH GREY



CHELTENHAM DARK GREY



GREY CHISELLED SLATE




RUNNING WATER SLATE




REPLACEMENT
IMAGE

DESCRIPTION



GLENMORE



RUSTIC RED BRICK



RUSTIC GREY BRICK

oer CHAMBERS



DAISY



THE BLOX



GREY VINTAGE




URBAN




HERRINGBONE TILE



VINTAGE BEIGE



SMALL BRICK



VINTAGE MULTI

oer HEARTHES



ASH GREY



MADISON WHITE



BASALT BLACK



MARSEILLE GREY



BEIGE STONE



MULTI VINTAGE




BLACK RIVEN



RED QUARRY




GLENMORE




URBAN



IVORY



VINTAGE GREY



MADISON GREY

All our chambers and hearths are made to measure, t shaped hearths for chambers available and are manufactured in one piece

oer BEAMS



CAIRNGORM SHELF



YORK BEAM



- ① PRIORY SHELF
- ② GROSVENOR SHELF
- ③ COTTAGE BEAM
- ④ MONTROSE SHELF
- ⑤ EGG & DART BEAM
- ⑥ RUSTIC PINE BEAM
- ⑦ RUSTIC OAK BEAM
- ⑧ LINEARE SHELF
- ⑨ RUSTIC FRENCH OAK ASPEN



All our beams can be made to measure and are all available in our range of timbers



ROCHESTER SHELF



FERMACELL LIGHT BOX

- 2 x LED Directional Lights Stainless Steel
- Plug Attached STD 46" (Can be cut to desired length)
- Installation 400mm Minimum above stove rocker switch
- ON/OFF Switch located on underside
- Light Box can be handed to suit
- 2.5m Cable
- Only suitable for up to 5kw stoves

Must only be installed by a suitably qualified engineer




GREY WASH RUSTIC OAK

CHOICE OF ENAMEL DOORS AVAILABLE ON ALL OUR STOVES EXCEPT THE BALANCED FLUE GAS STOVE.




TECHNICAL SPECIFICATIONS



oer DOUBLE VISION MULTI-FUEL STOVE





oer 5
MULTI-FUEL STOVE
with high and low leg options



oer 7
MULTI-FUEL STOVE
with high and low leg options



oer GAS STOVE



oer INSET STOVE

oer BALANCED FLUE STOVE

